

A

(A1) 1x

(A2) 1x

(A3) 1x

(A4) 2x

(A5) 1x

(A6) 4x

4x70

B - SACOINF

(B1) 2x 4x40

(B2) 2x M6x30

(B3)

C - SACOSUP

(C1) 2x Ref. 3005

(C3) 1x Ref. 4005

(C4) 2x Ref. 14002

(C5) 10x 4x40mm

D L ≥ 1200mm

(D1) 1x M6x20

(D2) 1x M6x12

E

1x

2x

1

1.1

1.2

(A2)

(A1)

2

(A9) 1x 4x70

2.1

2.2

(A2)

(A3)

OPÇÃO | OPTION 1

Diagram showing the installation of the UNICO PLUS system on a masonry wall, including a detail view of the corner connection.

BA13

3

3.1

3.2

(A4)

(A1)

(A2)

(A3)

3.2

3.2

4

4.1

(C)

OPÇÃO | OPTION 2

Diagram showing the installation of the UNICO PLUS system on a masonry wall, including a detail view of the corner connection.

L/2

L

5.1

5.3

BA13

L ≥ 1200mm

(D1) 1x M6x20

(D2) 1x M6x12

5

(PT) **Atenção**
1m de altura depois
de pavimento acabado

(EN) **Warning**
Height of 1m after
finished floor

(FR) **Attention**
1m de hauteur après
sol fini

(ES) **Advertencia**
1 m de altura después
del suelo acabado

5.1

5.2

5.3

5.4

1.00M

B1

B3

B2

min. 25mm

Aplicação de fibra de vidro
Glass fiber mesh application
Application du filet de fibre de verre
Aplicación de la malla de fibra de vidrio

6

6.1

6.2

6.3

6.4

min. 25mm

7

7.1

www.gosimat.pt | www.openspace.eu

